

I claim:

3 1. A pill crusher pouch, comprising:

a single sheet of flexible sheet material folded upon itself and sealed along  
a longitudinal edge portion thereof to form an open pouch having a front panel  
6 and a back panel; and

said front panel and said back panel being sealed together along a cup  
like seal line disposed at a base portion of said front panel and said back panel to  
9 provide said open pouch with a closed bottom and an open top; and

said cup like seal line providing said open pouch with a cornerless smooth  
rounded interior bottom to facilitate easy pouring of pulverized pill residue from  
12 the interior of said open pouch.

2. The pill crusher pouch according to claim 1, wherein said single sheet of  
15 flexible material is transparent.

3. The pill crusher pouch according to claim 2, wherein said single sheet of  
18 flexible material is composed of polyethylene.

4. The pill crusher pouch according to claim 1, wherein said pouch is  
21 dimensioned to be received between a platen and anvil of a pill crusher; and  
wherein said anvil is integrally fixed to a base and wherein said platen is  
coupled to said base by moveable handle means having a handle.

24 5. The pill crusher pouch according to claim 4, further comprising means for  
moving forcibly said platen against said anvil when said moveable handle means  
27 is moved from a first position to a second position, said means for moving  
including a compression link fixed at a first pivot to said base and at a second  
pivot to said handle, wherein said second pivot functions as a fulcrum during  
30 handle movement.

Inventor: Thomas L. Buckley

6. A pill crusher pouch, comprising:

3 a seamless tube of flexible material having an open top and a closed  
bottom to provide a leak tight container; and  
said closed bottom being closed with a cup like seal to provide the pouch  
with a cornerless interior to facilitate easy pouring of pulverized material from the  
6 interior of the pouch.

7. The pill crusher pouch according to claim 6, wherein said seamless tube of  
9 flexible material is transparent.

8. The pill crusher pouch according to claim 6, wherein said flexible material is  
12 composed of polyethylene.

9. The pill crusher pouch according to claim 6, wherein said pouch is  
15 dimensioned to be received between a platen and anvil of a pill crusher; and  
wherein said anvil is integrally fixed to a base and wherein said platen is  
coupled to said base by moveable handle means having a handle.

18  
10. The pill crusher pouch according to claim 9, further comprising means for  
moving forcibly said platen against said anvil when said moveable handle means  
21 is moved from a first position to a second position, said means for moving  
including a compression link fixed at a first pivot to said base and at a second  
pivot to said handle, wherein said second pivot functions as a fulcrum during  
24 handle movement.

11. A pill crusher pouch, comprising  
27 a front rectangular panel of sheet material ;  
a back rectangular panel of sheet material;  
a right side seal for securing a right side portion of said front panel of  
30 sheet material to a right side portion of said rear panel of sheet material;

Inventor: Thomas L. Buckley

a left side seal for securing a left side portion of said front panel of sheet material to a left side portion of said rear panel of sheet material; and

3 a cup-like seal for securing a bottom portion of said front panel of sheet material to a bottom portion of said rear panel of sheet material, said cup-like seal providing the pouch with a cornerless interior to facilitate easy pouring of  
6 pulverized material from the interior of the pouch.

12. The pill crusher pouch according to claim 11, wherein at least one of the  
9 rectangular sheets of material is a transparent sheet of material.

13. The pill crusher pouch according to claim 12, wherein the other one of the  
12 rectangular sheets of material is a transparent sheet of material.

14. The pill crusher pouch according to claim 11, wherein said pouch is  
15 dimensioned to be received between a platen and anvil of a pill crusher; and  
wherein said anvil is integrally fixed to a base and wherein said platen is  
coupled to said base by moveable handle means having a handle.

18  
15. The pill crusher pouch according to claim 14, further comprising means for  
moving forcibly said platen against said anvil when said moveable handle means  
21 is moved from a first position to a second position, said means for moving  
including a compression link fixed at a first pivot to said base and at a second  
pivot to said handle, wherein said second pivot functions as a fulcrum during  
24 handle movement.

16. The pill crusher pouch according to claim 1, wherein said single sheet of  
27 material includes marking indicia to provide an indication of maximum pill  
capacity for pill crushing purposes.

Inventor: Thomas L. Buckley

17. The pill crusher pouch according to claim 6, wherein said seamless tube of flexible material includes marking indicia to provide an indication of maximum pill capacity for pill crushing purposes.

18. The pill crusher pouch according to claim 11 wherein a least one of said front rectangular panel of sheet material and said back rectangular panel of sheet material includes marking indicia to provide an indication of maximum pill capacity for pill crushing purposes.

19. The pill crusher pouch according to claim 19 wherein a least the other one of said front rectangular panel of sheet material and said back rectangular panel of sheet material includes marking indicia to provide an indication of maximum pill capacity for pill crushing purposes.

Inventor: Thomas L. Buckley